

## Refine Search

### Search Results -

Terms	Documents
(u6 and h1) same promoter\$	219

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L3

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Wednesday, May 17, 2006   [Printable Copy](#)   [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=OR</i>			
<u>L3</u>	(u6 and h1) same promoter\$	219	<u>L3</u>
<i>DB=USPT; PLUR=NO; OP=OR</i>			
<u>L2</u>	L1 and promoter\$	1	<u>L2</u>
<u>L1</u>	6506559.pn. or 5801154.pn.	2	<u>L1</u>

END OF SEARCH HISTORY

n the RD set.

```
S3      67  RD  (unique items)
? s s3 and (treat? or patient)
Processing
Processed 10 of 40 files ...
Processing
Processed 30 of 40 files ...
Completed processing all files
      67  S3
    17202100  TREAT?
    5942154  PATIENT
S4      24  S3 AND (TREAT? OR PATIENT)
? rd
```

>>>Duplicate detection is not supported for File 393.

>>>Records from unsupported files will be retained in the RD set.

```
S5      24  RD  (unique items)
? show files;ds;t/3,k/all
File 5:Biosis Previews(R) 1969-2006/May W1
      (c) 2006 BIOSIS
File 6:NTIS 1964-2006/May W1
      (c) 2006 NTIS, Intl Cpyrght All Rights Res
File 8:Ei Compendex(R) 1970-2006/May W1
      (c) 2006 Elsevier Eng. Info. Inc.
File 24:CSA Life Sciences Abstracts 1966-2006/Apr
      (c) 2006 CSA.
File 34:SciSearch(R) Cited Ref Sci 1990-2006/May W1
      (c) 2006 Inst for Sci Info
File 65:Inside Conferences 1993-2006/May 16
      (c) 2006 BLDSC all rts. reserv.
File 71:ELSEVIER BIOBASE 1994-2006/May W2
      (c) 2006 Elsevier Science B.V.
File 73:EMBASE 1974-2006/May 16
      (c) 2006 Elsevier Science B.V.
File 94:JICST-EPlus 1985-2006/Feb W2
      (c) 2006 Japan Science and Tech Corp(JST)
File 98:General Sci Abs 1984-2004/Dec
      (c) 2005 The HW Wilson Co.
File 99:Wilson Appl. Sci & Tech Abs 1983-2006/Apr
      (c) 2006 The HW Wilson Co.
File 135:NewsRx Weekly Reports 1995-2006/May W1
      (c) 2006 NewsRx
File 136:BioEngineering Abstracts 1966-2006/Apr
      (c) 2006 CSA.
File 143:Biol. & Agric. Index 1983-2006/Apr
      (c) 2006 The HW Wilson Co
File 144:Pascal 1973-2006/Apr W3
      (c) 2006 INIST/CNRS
File 155:MEDLINE(R) 1951-2006/May 18
      (c) format only 2006 Dialog
File 172:EMBASE Alert 2006/May 16
      (c) 2006 Elsevier Science B.V.
File 266:FEDRIP 2005/Dec
      Comp & dist by NTIS, Intl Copyright All Rights Res
File 315:ChemEng & Biotec Abs 1970-2006/Apr
      (c) 2006 DECHEMA
File 357:Derwent Biotech Res. _1982-2006/May W1
      (c) 2006 Thomson Derwent & ISI
File 358:Current BioTech Abs 1983-2006/Jan
      (c) 2006 DECHEMA
```

File 369:New Scientist 1994-2006/Mar W1  
(c) 2006 Reed Business Information Ltd.  
File 370:Science 1996-1999/Jul W3  
(c) 1999 AAAS  
File 399:CA SEARCH(R) 1967-2006/UD=14421  
(c) 2006 American Chemical Society  
File 434:SciSearch(R) Cited Ref Sci 1974-1989/Dec  
(c) 1998 Inst for Sci Info  
File 40:Enviroline(R) 1975-2006/Mar  
File 41:Pollution Abstracts 1966-2006/Apr  
(c) 2006 CSA.  
File 50:CAB Abstracts 1972-2006/Apr  
(c) 2006 CAB International  
File 103:Energy SciTec 1974-2006/Apr B1  
(c) 2006 Contains copyrighted material  
File 156:ToxFile 1965-2006/May W2  
(c) format only 2006 Dialog  
File 162:Global Health 1983-2006/Apr  
(c) 2006 CAB International  
File 305:Analytical Abstracts 1980-2006/May W1  
(c) 2006 Royal Soc Chemistry  
File 393:Beilstein Abstracts 2006/Q1  
(c) Beilstein GmbH  
File 35:Dissertation Abs Online 1861-2006/Apr  
(c) 2006 ProQuest Info&Learning  
File 91:MANTIS(TM) 1880-2006/Feb  
2006 (c) Action Potential  
File 149:TGG Health&Wellness DB(SM) 1976-2006/Apr W5  
(c) 2006 The Gale Group  
File 159:Cancerlit 1975-2002/Oct  
(c) format only 2002 Dialog  
File 164:Allied & Complementary Medicine 1984-2006/May  
(c) 2006 BLHCIS  
File 444:New England Journal of Med. 1985-2006/Apr W5  
(c) 2006 Mass. Med. Soc.  
File 467:ExtraMED(tm) 2000/Dec  
(c) 2001 Informania Ltd.

Set	Items	Description
S1	0	(SIRNA OR RNAI) (S) (HEPATITIS C)
S2	85	(SIRNA OR RNAI) AND (HEPATITIS C)
S3	67	RD (unique items)
S4	24	S3 AND (TREAT? OR PATIENT)
S5	24	RD (unique items)

>>>KWIC option is not available in file(s): 399

5/3,K/1 (Item 1 from file: 5)  
DIALOG(R)File 5:Biosis Previews(R)  
(c) 2006 BIOSIS. All rts. reserv.

0015765184 BIOSIS NO.: 200600110579

**Inhibition of hepatitis C virus replication by pol III-directed overexpression of RNA decoys corresponding to stem-loop structures in the NS5B coding region**

AUTHOR: Zhang Jing (Reprint); Yamada Osamu; Sakamoto Takashi; Yoshida Hiroshi; Araki Hiromasa; Murata Takayuki; Shimotohno Kunitada  
AUTHOR ADDRESS: FUSO Pharmaceut Ind LTD, Ctr Res and Dev, Joto Ku, 2-3-30 Morinomiya, Osaka 5368523, Japan\*\*Japan  
AUTHOR E-MAIL ADDRESS: j-zhang@fuso-pharm.co.jp  
JOURNAL: Virology 342 (2): p276-285 NOV 25 2005 2005  
ISSN: 0042-6822

DOCUMENT TYPE: Article  
RECORD TYPE: Abstract  
LANGUAGE: English

...ABSTRACT: RNA-based approach to inhibit a wide range of HCV isolates. These results suggest that SL RNA decoys may prove to be useful in the \*treatment\* of hepatitis C, which may be advantageous over other sequence-specific gene therapy modalities (such as antisense RNA and \*siRNA\*) in preventing the escape of genetic variants. (c) 2005 Elsevier Inc. All rights reserved.

DESCRIPTORS:

DISEASES: \*hepatitis C\*...

5/3,K/2 (Item 2 from file: 5)

DIALOG(R)File 5:Biosis Previews(R)  
(c) 2006 BIOSIS. All rts. reserv.

0015495952 BIOSIS NO.: 200510190452

**Activation of the N-Ras-PI3K-Akt-mTOR pathway by hepatitis C virus: Control of cell survival and viral replication**

AUTHOR: Mannova Petra; Beretta Laura (Reprint)

AUTHOR ADDRESS: Fred Hutchinson Canc Res Ctr, Div Publ Hlth Sci, 1100 Fairview Ave N,M5-A864,Bpx 19024, Seattle, WA 98109 USA\*\*USA

AUTHOR E-MAIL ADDRESS: lberetta@fhcrc.org

JOURNAL: Journal of Virology 79 (14): p8742-8749 JUL 2005 2005

ISSN: 0022-538X

DOCUMENT TYPE: Article

RECORD TYPE: Abstract

LANGUAGE: English

...ABSTRACT: apoptosis. We also characterized the role of this pathway in HCV replication. Reduction of N-Ras expression by transfection of N-Ras small interfering RNA (\*siRNA\*) resulted in increased replication of HCV. We observed a similar increase in HCV replication in cells \*treated\* with the PI3K inhibitor LY294002 and in cells transfected with mTOR \*siRNA\*. Taken together, these data suggest that increased N-Ras levels in subcellular sites of HCV replication and stimulation of the prosurvival PI3K-Akt pathway and...

DESCRIPTORS:

DISEASES: \*hepatitis C\*...

CHEMICALS & BIOCHEMICALS: ...small interfering RNA {\*siRNA\*};

5/3,K/3 (Item 3 from file: 5)

DIALOG(R)File 5:Biosis Previews(R)  
(c) 2006 BIOSIS. All rts. reserv.

0015224813 BIOSIS NO.: 200500131450

**Characterization of host-range and cell entry properties of the major genotypes and subtypes of hepatitis C virus**

AUTHOR: Lavillette Dimitri; Tarr Alexander W; Voisset Cecile; Donot Peggy; Bartosch Birke; Bain Christine; Patel Arvind H; Dubuisson Jean; Ball Jonathan K; Cosset Francois-Loic (Reprint)

AUTHOR ADDRESS: LVRTGINSERMU412, IFR128, BioSci Lyon Gerland, Ecole Normale Super Lyon, 46 Allee Italie, F-69364, Lyon, 07, France\*\*France

AUTHOR E-MAIL ADDRESS: flcosset@ens-lyon.fr

JOURNAL: Hepatology 41 (2): p265-274 February 2005 2005

MEDIUM: print

ISSN: 0270-9139 (ISSN print)

DOCUMENT TYPE: Article

RECORD TYPE: Abstract  
LANGUAGE: English

...ABSTRACT: and neutralization properties of parental HCV. Because sequence variations in E1 and E2 may account for differences in tropism, replication properties, neutralization, and response to \*treatment\* in patients infected with different genotypes, we investigated the functional properties of HCV envelope glycoproteins from different genotypes/subtypes. Our studies indicate that hepatocytes were...

...in CD81-deficient HepG2 cells indicated that CD81 is used by all the different genotypes/subtypes analyzed to enter the cells. However, by silencing RNA (\*siRNA\*) interference assays, our results show that the level of Scavenger Receptor Class-B Type-I (SR-BI) needed for efficient infection varies between genotypes and...

DESCRIPTORS:

DISEASES: \*hepatitis C\*...

...METHODS & EQUIPMENT: silencing RNA interference assay {\*siRNA\* interference assay...}

5/3,K/4 (Item 4 from file: 5)  
DIALOG(R)File 5:Biosis Previews(R)  
(c) 2006 BIOSIS. All rts. reserv.

0014901824 BIOSIS NO.: 200400272581

**Hepatitis C virus induces a mutator phenotype: Enhanced mutations of immunoglobulin and protooncogenes**

AUTHOR: Machida Keigo; Cheng Kevin T-N; Sung Vicky M-H; Shimodaira Shigetaka; Lindsay Karen L; Levine Alexandra M; Lai Ming-Yang; Lai Michael M C (Reprint)

AUTHOR ADDRESS: Keck Sch MedDept Mol Microbiol & Immunol, Univ So Calif, 2011 Zonal Ave, Los Angeles, CA, 90033, USA\*\*USA

AUTHOR E-MAIL ADDRESS: michlai@hsc.usc.edu

JOURNAL: Proceedings of the National Academy of Sciences of the United States of America 101 (12): p4262-4267 March 23, 2004 2004

MEDIUM: print

ISSN: 0027-8424 (ISSN print)

DOCUMENT TYPE: Article

RECORD TYPE: Abstract

LANGUAGE: English

DESCRIPTORS:

...ORGANISMS: host, \*patient\*

...DISEASES: \*hepatitis C\*

CHEMICALS & BIOCHEMICALS: ...small interfering RNA {\*siRNA}\*}

5/3,K/5 (Item 5 from file: 5)  
DIALOG(R)File 5:Biosis Previews(R)  
(c) 2006 BIOSIS. All rts. reserv.

0014764732 BIOSIS NO.: 200400132086

**Development of \*siRNA\* as a therapeutic for hepatitis C.**

AUTHOR: Morrissey David V (Reprint); Jensen Kristi (Reprint); Zinnen Shawn (Reprint); Dickinson Brent (Reprint); Hartsough Kim (Reprint); Shaw Cindy (Reprint); McSwiggen James A (Reprint); Vargeese Chandra (Reprint); Bowman Keith (Reprint); Shaffer Chris S (Reprint); Polisky Barry (Reprint); Lockridge Jennifer A (Reprint)

AUTHOR ADDRESS: Sirna Therapeutics, Inc., Boulder, CO, USA\*\*USA

JOURNAL: Hepatology 38 (4 Suppl. 1): p627A October 2003 2003

MEDIUM: print  
CONFERENCE/MEETING: 54th Annual Meeting of the American Association for the Study of Liver Diseases Boston, MA, USA October 24-28, 2003; 20031024  
SPONSOR: American Association for the Study of Liver Diseases  
ISSN: 0270-9139\_(ISSN print)  
DOCUMENT TYPE: Meeting; Meeting Abstract  
RECORD TYPE: Abstract  
LANGUAGE: English

**Development of \*siRNA\* as a therapeutic for hepatitis C.**

ABSTRACT: RNA interference (\*RNAi\*) is a recently discovered cellular mechanism that recognizes and destroys double-stranded RNA, and appears to play a role in the cell's anti-viral defense system. Short interfering RNA molecules (\*siRNA\*) are approximately 21 nucleotide long, double-stranded RNA intermediates of the \*RNAi\* mechanism that guide unique \*RNAi\* protein machinery to the target RNA. This machinery, known as RISC (RNA induced silencing complex) then degrades the target RNA. To develop synthetic \*siRNA\* molecules as therapeutic agents for systemic administration in vivo, a panel of chemical modifications designed to enhance physical stability was introduced into chemically synthesized siRNAs...

...significantly prolonged stability in serum and human liver extracts. Cell culture studies in the HCV subgenomic replicon system revealed a high degree of inhibition following \*treatment\* with these chemically modified siRNAs. Most importantly, the degree of inhibition seen with the chemically modified, stabilized siRNAs was similar to that seen with all-RNA (unmodified) \*siRNA\* molecules. In addition, prolonged duration of \*siRNA\*-induced gene silencing was observed with chemically stabilized siRNAs in comparison to all-RNA molecules. Efficient in vivo delivery of the stabilized synthetic \*siRNA\* to the liver is also being addressed by direct conjugation of targeting ligands to HCV-specific siRNAs. Preliminary pharmacokinetic studies have been completed for three...  
...after a subcutaneous injection with 5% of the dose found intact in the liver. These stabilized and targeted compounds may provide new options in the \*treatment\* of hepatitis.

DESCRIPTORS:

DISEASES: \*hepatitis C\*...

CHEMICALS & BIOCHEMICALS: short interfering RNA {\*siRNA\*}

5/3,K/6 (Item 6 from file: 5)  
DIALOG(R)File 5:Biosis Previews(R)  
(c) 2006 BIOSIS. All rts. reserv.

0014679118 BIOSIS NO.: 200400059875

**Identification of the most accessible sites to ribozymes on the hepatitis C virus internal ribosome entry site.**

AUTHOR: Ryu Kyung-Ju; Lee Seong-Wook (Reprint)  
AUTHOR ADDRESS: Department of Molecular Biology, Dankook University, Seoul, 140-714, South Korea\*\*South Korea  
AUTHOR E-MAIL ADDRESS: SWL0208@unitel.co.kr  
JOURNAL: Journal of Biochemistry and Molecular Biology 36 (6): p538-544  
November 30, 2003 2003  
MEDIUM: print  
ISSN: 1225-8687  
DOCUMENT TYPE: Article  
RECORD TYPE: Abstract  
LANGUAGE: English

...ABSTRACT: hepatitis C virus (HCV) is a major causative agent of chronic hepatitis and hepatocellular carcinoma. The development of alternative antiviral therapies is warranted because current \*treatments\* for the HCV infection affect only a limited number of patients and lead to significant toxicities. The HCV genome is exclusively present in the RNA form; therefore, ribozyme strategies to target certain HCV sequences have been proposed as anti-HCV \*treatments\*. In this study, we determined which regions of the internal ribosome entry site (IRES) of HCV are accessible to ribozymes by employing an RNA mapping...

...regions of target RNAs and have important implications for the development of various antiviral therapies which are based on RNA such as ribozyme, antisense, or \*siRNA\*.

DESCRIPTORS:

DISEASES: \*hepatitis C\*...

CHEMICALS & BIOCHEMICALS: ...\*siRNA\* {small interfering RNA}

5/3,K/7 (Item 7 from file: 5)

DIALOG(R)File 5: Biosis Previews(R)

(c) 2006 BIOSIS. All rts. reserv.

0014473207 BIOSIS NO.: 200300428051

**Inhibition of intracellular hepatitis C virus replication by synthetic and vector-derived small interfering RNAs.**

AUTHOR: Yokota Takanori (Reprint); Sakamoto Naoya; Enomoto Nobuyuki; Tanabe Yoko; Miyagishi Makoto; Maekawa Shinya; Yi Li; Kurosaki Masayuki; Taira Kazunari; Watanabe Mamoru; Mizusawa Hidehiro

AUTHOR ADDRESS: Department of Neurology and Neurological Science, Tokyo Medical and Dental University, 1-5-45 Yushima, Bunkyo-ku, Tokyo, 113-8519, Japan\*\*Japan

AUTHOR E-MAIL ADDRESS: tak-yokota.nuro@tmd.ac.jp; nsakamoto.gast@tmd.ac.jp

JOURNAL: EMBO Reports 4 (6): p602-608 June 2003 2003

MEDIUM: print

ISSN: 1469-221X (ISSN print)

DOCUMENT TYPE: Article

RECORD TYPE: Abstract

LANGUAGE: English

...ABSTRACT: for siRNAs. Importantly, we have identified an effective site in the 5' UTR at which approx80% suppression of HCV replication was achieved with concentrations of \*siRNA\* as low as 2.5 nM. Furthermore, DNA-based vectors expressing \*siRNA\* against HCV were also effective, which might allow the efficient delivery of \*RNAi\* into hepatocytes in vivo using viral vectors. Our results support the feasibility of using \*siRNA\*-based gene therapy to inhibit HCV replication, which may prove to be valuable in the \*treatment\* of hepatitis C.

DESCRIPTORS:

DISEASES: \*hepatitis C\*...

METHODS & EQUIPMENT: small interfering RNA-based gene therapy {\*siRNA\*  
-based gene therapy...

5/3,K/8 (Item 1 from file: 24)

DIALOG(R)File 24: CSA Life Sciences Abstracts

(c) 2006 CSA. All rts. reserv.

0002793499 IP ACCESSION NO: 6684315

**Enhanced Sensitivity of Human Hepatoma Cells to 5-Fluorouracil by Small Interfering RNA Targeting Bcl-2**

Kanda, Tatsuo; Yokosuka, Osamu; Imazeki, Fumio; Arai, Makoto; Saisho, Hiromitsu  
Department of Medicine and Clinical Oncology, Graduate School of Medicine,  
Chiba University, 1-8-1 Inohana, Chuo-ku, Chiba 260-0856, Japan,  
[mailto:kandat-cib@umin.ac.jp]

DNA and Cell Biology, v 24, n 12, p 805-809, December 2005  
PUBLICATION DATE: 2005

DOCUMENT TYPE: Journal Article  
RECORD TYPE: Abstract  
LANGUAGE: English  
SUMMARY LANGUAGE: English  
ISSN: 1044-5498  
FILE SEGMENT: Nucleic Acids Abstracts

**ABSTRACT:**

... the apoptosis induced in human hepatocellular carcinoma (HCC) cell lines by 5-fluorouracil (5-FU) could be enhanced by transfecting Bcl-2 small interfering RNA (\*siRNA\*). Bcl-2 \*siRNA\* and control \*siRNA\* were transfected into cells following \*treatment\* with or without 5-FU. Suppression of Bcl-2 expression was confirmed by Western blotting; cell viability was evaluated by MTS assay, and the occurrence of apoptosis in cells was evaluated by apoptosis assay. Expression of Bcl-2 protein after transfection of 20 nM Bcl-2 \*siRNA\* was significantly lower than that of control. Incubation of all cell lines with Bcl-2 \*siRNA\* reduced cell viability 96 h after 5-FU \*treatment\* compared with all other controls: Huh-7 (P < 0.01), Huh-7 with hepatitis C replicon (P < 0.01), HepG2 (P < 0.01), HLE (P < 0.05). Moreover, the proportion of apoptosis in control \*siRNA\*, Bcl-2 \*siRNA\*, control \*siRNA\* prior to 5-FU \*treatment\*, and Bcl-2 \*siRNA\* prior to 5-FU \*treatment\* groups were (4.6 plus or minus 2.3)%, (7.5 plus or minus 0.5)%, (6.0 plus or minus 2.1)%, and (19.5 plus or minus 0.86)%, respectively. The Bcl-2 \*siRNA\* prior to 5-FU \*treatment\* group showed the strongest effect of inducing apoptosis. In conclusion, the combination Bcl-2 \*siRNA\* and 5-FU might represent a new therapeutic option for HCC.

DESCRIPTORS: \*siRNA\*; Bcl-2 protein; Apoptosis; 5-Fluorouracil; Tumor cell lines; Transfection; \*Hepatitis C\*; Hepatoma; Western blotting; Hepatocellular carcinoma

5/3,K/9 (Item 2 from file: 24)  
DIALOG(R)File 24:CSA Life Sciences Abstracts  
(c) 2006 CSA. All rts. reserv.

0002723184 IP ACCESSION NO: 6276003  
**Hepatitis C Virus Replicons Escape RNA Interference Induced by a Short Interfering RNA Directed against the NS5b Coding Region**

Wilson, Joyce A; Richardson, Christopher D  
Ontario Cancer Institute/University Health Network, 620 University Ave.  
Suite 706, Toronto, Canada M5G 2C1. Department of Medical Biophysics,  
University of Toronto, 610 University Ave., Toronto, Canada M5G 2M9

Journal of Virology, v 79, n 11, p 7050-7058, June 1, 2005  
PUBLICATION DATE: 2005

PUBLISHER: American Society for Microbiology, 1752 N Street N.W.  
Washington, DC 20036 USA, [URL:<http://www.asm.org/>]



DOCUMENT TYPE: Journal Article

RECORD TYPE: Abstract

LANGUAGE: English

SUMMARY LANGUAGE: English

ISSN: 0022-538X

FILE SEGMENT: Virology & AIDS Abstracts; Nucleic Acids Abstracts

ABSTRACT:

RNA interference represents an exciting new technology that could have therapeutic applications for the \*treatment\* of viral infections. Hepatitis C virus (HCV) is a major cause of chronic liver disease and affects over 270 million individuals worldwide. The HCV genome...

...single-stranded RNA that functions as both an mRNA and a replication template, making it an attractive target for therapeutic approaches using short interfering RNA (\*siRNA\*). We have shown previously that double-stranded \*siRNA\* molecules designed to target the HCV genome block gene expression and RNA synthesis from hepatitis C replicons propagated in human liver cells. However, we now show that this block is not complete. After several \*treatments\* with a highly effective \*siRNA\*, we have shown growth of replicon RNAs that are resistant to subsequent \*treatment\* with the same \*siRNA\*. However, these replicon RNAs were not resistant to \*siRNA\* targeting another part of the genome. Sequence analysis of the \*siRNA\*-resistant replicons showed the generation of point mutations within the \*siRNA\* target sequence. In addition, the use of a combination of two siRNAs together severely limited escape mutant evolution. This suggests that RNA interference activity could be used as a \*treatment\* to reduce the devastating effects of HCV replication on the liver and the use of multiple siRNAs could prevent the emergence of resistant viruses.

DESCRIPTORS: \*siRNA\*; Genomes; RNA-mediated interference; Replication; Evolution; Liver diseases; \*Hepatitis C\*; Gene expression; Hepatocytes; Point mutation; Therapeutic applications; Transcription; Infection; Hepatitis C virus

5/3,K/10 (Item 1 from file: 73)

DIALOG(R)File 73:EMBASE

(c) 2006 Elsevier Science B.V. All rts. reserv.

13764761 EMBASE No: 2006186489

**Destroying RNA** as a therapeutic approach

Tafech A.; Bassett T.; Sparanese D.; Lee C.H.

C.H. Lee, Chemistry Program, University of Northern British Columbia,  
3333 University Way, Prince George, BC V2N 4Z9 Canada

AUTHOR EMAIL: leec@unbc.ca

Current Medicinal Chemistry ( CURR. MED. CHEM. ) (Netherlands) 2006,  
13/8 (863-881)

CODEN: CMCHE ISSN: 0929-8673

DOCUMENT TYPE: Journal ; Review

LANGUAGE: ENGLISH SUMMARY LANGUAGE: ENGLISH

NUMBER OF REFERENCES: 168

...Such approaches can be used in the study of gene function as in functional genomics, in the identification of disease-associated genes, and for the \*treatment\* of human diseases. This review provides a comprehensive up-to-date look at all the current available technologies used for the destruction of RNA, with...

MANUFACTURER NAMES: Isis/United States; Genta; \*Sirna\*/United States; Hybridon

MEDICAL DESCRIPTORS:

...effect--side effect--si; in vivo study; in vitro study; gene silencing;  
gene expression regulation; Huntington chorea; graft rejection  
--complication--co; graft rejection--prevention--pc; \*hepatitis C\*;  
cardiovascular disease; Alzheimer disease; cell based gene therapy; drug  
half life; nonviral gene delivery system; viral gene delivery system;  
adenovirus vector; drug potency; drug...

5/3,K/11 (Item 2 from file: 73)

DIALOG(R)File 73:EMBASE

(c) 2006 Elsevier Science B.V. All rts. reserv.

13764576 EMBASE No: 2006178943

**Assessing evidence from clinical trials in chronic hepatitis C**

Bacon B.R.

Dr. B.R. Bacon, Division of Gastroenterology and Hepatology, Saint Louis  
University Liver Center, Saint Louis University School of Medicine, 3635  
Vista Avenue at Grand Blvd., St Louis, MO 63110 United States

AUTHOR EMAIL: baconbr@slu.edu

Journal of Viral Hepatitis ( J. VIRAL HEPATITIS ) (United Kingdom) 2006  
, 13/SUPPL. 1 (1-5)

CODEN: JVHEE ISSN: 1352-0504 eISSN: 1365-2893

DOCUMENT TYPE: Journal ; Review

LANGUAGE: ENGLISH SUMMARY LANGUAGE: ENGLISH

NUMBER OF REFERENCES: 40

...often not well tolerated and is giving rise to a growing number of  
nonresponders. As a result, a large number of experimental drugs for the  
\*treatment\* of chronic hepatitis C are in development. As the clinical  
trial reports are made available, physicians need to become familiar with  
issues related to the...

...BRAND NAME/MANUFACTURER NAME: albuferon/Human Genome Sciences/United  
States; actimmune/Intermune/United States; viramidine/Valeant/United States  
; cellcept/Hoffmann La Roche/United States; isis14803/Isis/United States;  
heptazyme/\*Sirna\*/United States; biln 2061/Boehringer Ingelheim/Germany;  
hcv 371/Wyeth/United States

...MANUFACTURER NAMES: States; Valeant/United States; Astellas/Japan; Human  
Genome Sciences/United States; Intermune/United States; Intarcia/United  
States; Hoffmann La Roche/United States; Isis/United States; \*Sirna\*/United  
States; Boehringer Ingelheim/Germany; Wyeth/United States

MEDICAL DESCRIPTORS:

\*\*hepatitis C\*--drug therapy--dt; \*\*hepatitis C\*--etiology--et

...virus; remission; drug tolerability; evidence based medicine; clinical  
assessment; methodology; flu like syndrome--side effect--si; depression  
--side effect--si; hemolytic anemia--side effect--si; \*patient\* compliance;  
cardiotoxicity--side effect--si; drug efficacy; human; clinical trial;  
review; priority journal

5/3,K/12 (Item 3 from file: 73)

DIALOG(R)File 73:EMBASE

(c) 2006 Elsevier Science B.V. All rts. reserv.

13747319 EMBASE No: 2006169689

**Antisense \*treatments\* for biothreat agents**

Warfield K.L.; Panchal R.G.; Aman M.J.; Bavari S.

S. Bavari, US Army Medical Research Institute of Infectious Diseases,  
Fort Detrick, Frederick, MD 21702 United States

AUTHOR EMAIL: sina.bavari@amedd.army.mil

Current Opinion in Molecular Therapeutics ( CURR. OPIN. MOL. THER. ) (  
United Kingdom) 2006, 8/2 (93-103)

CODEN: CUOTF ISSN: 1464-8431  
DOCUMENT TYPE: Journal ; Review  
LANGUAGE: ENGLISH SUMMARY LANGUAGE: ENGLISH  
NUMBER OF REFERENCES: 128

#### **Antisense \*treatments\* for biotreat agents**

Antisense oligomers (ASOs) represent a promising technology to \*treat\* viral and bacterial infections, and have already been shown to be successful against a variety of pathogens in cell culture studies and nonhuman primate models of infection. For these reasons, antisense technologies are being pursued as \*treatments\* against biotreat agents such as Ebola virus, dengue virus and Bacillus anthracis. Several generations of modified oligonucleotides have been developed to maximize nuclease resistance, target...

BRAND NAME/MANUFACTURER NAME: ogx 011/Oncogenex; \*sirna\* 027/\*Sirna\*;  
\*sirna 027\*/Allergan; isis 5132; isis 2503; GEM 231

MANUFACTURER NAMES: Genta; Oncogenex; \*Sirna\*; Allergan

#### **MEDICAL DESCRIPTORS:**

...structure; drug efficacy; drug mixture; gene silencing; nonviral gene therapy; enzyme activation; gene expression; in vitro study; in vivo study; drug distribution; drug blood level; \*hepatitis C\*--drug therapy--dt; Hepatitis C virus; liver cancer--drug therapy--dt; enzyme inhibition; oncogene H ras; complement activation; side effect--side effect--si; cardiovascular...

...DRUG TERMS (UNCONTROLLED): drug administration--iv; phosphorothioate oligodeoxynucleotide derivative--subcutaneous drug administration--sc; ogx 011--pharmacology--pd; methylphosphonate oligodeoxynucleotide derivative--pharmacology--pd; 2' o methyloligoribonucleotide derivative--pharmacology--pd; \*sirna\* 027

**5/3,K/13 (Item 4 from file: 73)**

DIALOG(R)File 73:EMBASE

(c) 2006 Elsevier Science B.V. All rts. reserv.

13240582 EMBASE No: 2005305050

**Small interfering RNA effectively inhibits protein expression and negative strand RNA synthesis from a full-length hepatitis C virus clone**  
Prabhu R.; Vittal P.; Yin Q.; Flemington E.; Carry R.; Robichaux W.H.; Dash S.

S. Dash, Department of Pathology and Laboratory Medicine, Tulane University Health Sciences Center, 1430 Tulane Avenue, New Orleans, LA 70112 United States

AUTHOR EMAIL: sdash@tulane.edu

Journal of Medical Virology ( J. MED. VIROL. ) (United States) 2005, 76/4 (511-519)

CODEN: JMVID ISSN: 0146-6615

DOCUMENT TYPE: Journal ; Article

LANGUAGE: ENGLISH SUMMARY LANGUAGE: ENGLISH

NUMBER OF REFERENCES: 59

Hepatitis C virus (HCV) infection is usually \*treated\* with the combination of interferon and ribavirin, but only a small fraction of patients develop a sustained remission. There is need for the development of specific molecular approaches for the \*treatment\* of chronic HCV infection. We propose that RNA interference is highly effective antiviral strategy that offers great potential for the \*treatment\* of HCV infection. Three plasmid constructs expressing small interfering RNAs (siRNAs) targeted to sequences encoding the structural gene (E2) and non-structural genes (NS3, NS5B...

...as shown by ribonuclease protection assay (RPA). All three siRNAs efficiently inhibited synthesis of replicative negative strand HCV RNA in the transfected cells. A control \*siRNA\* plasmid against a Epstein-Barr virus latency gene did not inhibit protein expression and negative strand HCV RNA. These results suggest that \*RNAi\* is an effective and alternative approach that can be used to inhibit HCV expression and replication. (c) 2005 Wiley-Liss, Inc.

MEDICAL DESCRIPTORS:

\*hepatitis C\*--etiology--et; molecular cloning; protein expression; protein targeting; gene replication; genetic transcription; Adenovirus; Western blotting; immunocytochemistry; immunization; ribonuclease protection assay; plasmid; Epstein Barr virus...

5/3,K/14 (Item 5 from file: 73)

DIALOG(R)File 73:EMBASE

(c) 2006 Elsevier Science B.V. All rts. reserv.

13073281 EMBASE No: 2005138461

**Biochemical prevention and \*treatment\* of viral infections - A new paradigm in medicine for infectious diseases**

Le Calvez H.; Yu M.; Fang F.

H. Le Calvez, Abgent, Inc., 6310 Nancy Ridge Drive, San Diego, CA 92121 United States

AUTHOR EMAIL: lecalvez@abgent.com

Virology Journal ( VIROL. J. ) (United Kingdom) 23 NOV 2004, 1/-

ISSN: 1743-422X

DOCUMENT TYPE: Journal ; Article

LANGUAGE: ENGLISH SUMMARY LANGUAGE: ENGLISH

NUMBER OF REFERENCES: 51

**Biochemical prevention and \*treatment\* of viral infections - A new paradigm in medicine for infectious diseases**

...significant portion of the population. In the recent years, FDA's approval and subsequent market acceptance of Synagis, a monoclonal antibody indicated for prevention and \*treatment\* of respiratory syncytial virus (RSV) has heralded a new era for viral infection prevention and \*treatment\*. This emerging paradigm, herein designated "Biochemical Prevention and \*Treatment\*", currently involves two aspects: (1) preventing viral entry via passive transfer of specific protein-based anti-viral molecules or host cell receptor blockers; (2) inhibiting viral amplification by targeting the viral mRNA with anti-sense DNA, ribozyme, or RNA interference (\*RNAi\*). This article summarizes the current status of this field. (c) 2004 Le Calvez et al; licensee BioMed Central Ltd.

MEDICAL DESCRIPTORS:

...pneumovirus; drug efficacy; retinitis--drug therapy--dt; cancer--drug therapy--dt; psoriasis--drug therapy--dt; Crohn disease--drug therapy--dt; ulcerative colitis--drug therapy--dt; \*hepatitis C\*--drug therapy--dt; solid tumor--drug therapy--dt; asthma--drug therapy--dt; rheumatoid arthritis--drug therapy--dt; restenosis--drug therapy--dt; kidney polycystic disease...

5/3,K/15 (Item 6 from file: 73)

DIALOG(R)File 73:EMBASE

(c) 2006 Elsevier Science B.V. All rts. reserv.

12533513 EMBASE No: 2004126713

**Therapeutic potential of retroviral \*RNAi\* vectors**

Devroe E.; Silver P.A.  
P.A. Silver, Dept. Biol. Chem./Molec. Pharmacol., Harvard Medical School,  
Boston, MA 02115 United States  
AUTHOR EMAIL: pamela silver@dfci.harvard.edu  
Expert Opinion on Biological Therapy ( EXPERT OPIN. BIOL. THER. ) (United  
Kingdom) 2004, 4/3 (319-327)  
CODEN: EOBT A ISSN: 1471-2598  
DOCUMENT TYPE: Journal ; Review  
LANGUAGE: ENGLISH SUMMARY LANGUAGE: ENGLISH  
NUMBER OF REFERENCES: 100

### **Therapeutic potential of retroviral \*RNAi\* vectors**

The ability of small interfering RNA (\*siRNA\*) to mediate gene-specific posttranscriptional silencing in mammalian cells will undoubtedly revolutionise functional genomics, as well as drug target identification and validation. Furthermore, there is widespread excitement that \*siRNA\* itself might prove useful in the clinical setting. For those wishing to develop \*siRNA\* as a therapeutic agent, the most difficult obstacle to overcome will be delivery. Recently, several breakthroughs have highlighted viruses as excellent vehicles for \*siRNA\* delivery. Retroviruses, the transgene-delivery vector of choice for many experimental gene therapy studies, have been engineered to deliver and stably express therapeutic \*siRNA\* within cells, both in vitro and in vivo. These findings are important milestones for the development of \*siRNA\* as a gene therapy for \*treatment\* of viral infections, cancer, autoimmune syndromes and numerous genetic disorders. This review describes the development of retroviral \*siRNA\* vectors, highlights proof-of-concept experiments demonstrating their therapeutic efficacy and explores therapeutic targets particularly suitable for retroviral-mediated gene silencing.

#### **MEDICAL DESCRIPTORS:**

gene silencing; Human immunodeficiency virus infection--drug therapy--dt;  
cancer; virus hepatitis; transgene; protein expression; gene therapy;  
autoimmune disease; genetic disorder; hepatitis B; \*hepatitis C\*;  
Lentivirinae; side effect--side effect--si; human; nonhuman; review

5/3,K/16 (Item 7 from file: 73)

DIALOG(R)File 73:EMBASE

(c) 2006 Elsevier Science B.V. All rts. reserv.

12291262 EMBASE No: 2003403709

### **Silence of the genes: A targeted approach to the suppression of specific genes in human disease using small interfering RNA (\*siRNA\*)**

Apostolopoulos J.

J. Apostolopoulos, Centre of Inflammatory Diseases, Monash University,  
Department of Medicine, 246 Clayton Road, Clayton, Vic. 3168 Australia

AUTHOR EMAIL: jimja@unimelb.edu.au

Current Genomics ( CURR. GENOMICS ) (Netherlands) 2003, 4/7 (587-598)

CODEN: CGUEA ISSN: 1389-2029

DOCUMENT TYPE: Journal ; Review

LANGUAGE: ENGLISH SUMMARY LANGUAGE: ENGLISH

NUMBER OF REFERENCES: 101

### **Silence of the genes: A targeted approach to the suppression of specific genes in human disease using small interfering RNA (\*siRNA\*)**

The ability to silence specific genes of choice consistently and efficiently has always been a major goal for scientists. The emerging field of RNA interference (\*RNAi\*), a process in which target mRNAs are degraded by small interfering RNA (\*siRNA\*), may indeed provide this long sought

after tool. The importance of this technology has been highlighted recently by Science, which has voted the \*RNAi\* discoveries as the "Breakthrough of the Year" in 2002. Essentially, \*RNAi\* involves an initiation and an effector step whereby introduced dsRNA is digested into 19-21 duplex \*siRNA\* by cleavage with Dicer and \*siRNA\* binds to an RNA-induced silencing complex (RISC). Activation of RISC targets the homologous sequence (transcript) and results in the cleavage of mRNA. The models of this \*RNAi\* mechanism and its applications, derived from biochemical and genetic approaches, are described in this minireview. So far, \*RNAi\* has proven to be a useful technique for genomic studies in *C. elegans*, *D. melanogaster* and various plants, for example. The use of \*RNAi\* has also been invaluable in studies in which morphological and developmental variability between species was investigated. Targeted, sequence specific siRNAs that suppress or silence gene expression have the potential to be in great demand as tools for the \*treatment\* of human disease. There have already been several studies that have utilized \*siRNA\* to inhibit HIV-1 infection and replication, for example. The expansion of \*RNAi\* for biomedical therapeutics seems inevitable. This minireview analytically summarizes the advantages and the current and future potential of \*RNAi\* technology whilst simultaneously investigating any shortfalls or difficulties. Importantly, in vitro and in vivo applications in the laboratory and in human disease models are also...

MEDICAL DESCRIPTORS:

...virus replication; Human immunodeficiency virus 1; Human immunodeficiency virus infection--etiology--et; biomedicine; in vitro study; in vivo study; disease model; gene function; protein degradation; \*hepatitis C\*--etiology--et; Hepatitis C virus; malignant neoplastic disease; cancer inhibition; human; nonhuman; human cell; animal cell; review; nucleotide sequence

5/3,K/17 (Item 1 from file: 94)

DIALOG(R)File 94:JICST-EPlus

(c)2006 Japan Science and Tech Corp(JST). All rts. reserv.

06176693 JICST ACCESSION NUMBER: 05A0674190 FILE SEGMENT: JICST-E

**Emerging drugs for chronic hepatitis C**

BHOPALE GIRISH MAHADEORAO (1); NANDA RABINDRA KUMAR (1)

(1) Res. And Dev. Div., Hindustan Antibiotics Ltd., Pimpri, Pune 411018, Ind

Hepatol Res, 2005, VOL.32,NO.3, PAGE.146-153, FIG.1, TBL.1, REF.64

JOURNAL NUMBER: W1284AAX ISSN NO: 1386-6346

UNIVERSAL DECIMAL CLASSIFICATION: 615.281.8.03 615.281.8 616.9-08 578.1

LANGUAGE: English COUNTRY OF PUBLICATION: Japan

DOCUMENT TYPE: Journal

ARTICLE TYPE: Review article

MEDIA TYPE: Meta and P

...ABSTRACT: categories have already reached the different clinical phases of development. The present article highlights the status of current available therapies and emerging drugs for the \*treatment\* of hepatitis C. Copyright 2005 Elsevier B.V., Amsterdam. All rights reserved.

IDENTIFIERS: \*siRNA\*

BROADER DESCRIPTORS: \*hepatitis C\*...

5/3,K/18 (Item 1 from file: 98)

DIALOG(R)File 98:General Sci Abs

(c) 2005 The HW Wilson Co. All rts. reserv.

05209401 H.W. WILSON RECORD NUMBER: BGSA03209401

**Interference of hepatitis C virus RNA replication by short interfering RNAs.**

Kapadia, Sharookh B

Brideau-Andersen, Amy; Chisari, Francis V

Proceedings of the National Academy of Sciences of the United States of America v. 100 no4 (Feb. 18 2003) p. 2014-18

SPECIAL FEATURES: bibl f il ISSN: 0027-8424

LANGUAGE: English

COUNTRY OF PUBLICATION: United States

**ABSTRACT:** The effect of RNA interference (\*RNAi\*) on hepatitis C virus (HCV) replication was investigated. Current therapy of patients with chronic HCV infection includes \*treatment\* with IFNa in combination with ribavirin, but most \*treated\* patients do not resolve the infection, and, thus, an alternative therapy is crucial. Using a selectable subgenomic HCV replicon cell culture system, \*RNAi\* was found to specifically inhibit HCV RNA replication and protein expression in Huh-7 cells that stably replicate the HCV genome. This antiviral effect was independent of interferon, indicating that \*RNAi\* may represent a new strategy for the therapy of persistent HCV infection.

**DESCRIPTORS:**

\*Hepatitis C\*...

**5/3,K/19 (Item 1 from file: 155)**

DIALOG(R)File 155:MEDLINE(R)

(c) format only 2006 Dialog. All rts. reserv.

19620301 PMID: 16317665

**\*Treating\* hepatitis C: can you teach old dogs new tricks?**

Rice Charles M; You Shihyun

Center for the Study of Hepatitis C Laboratory of Virology and Infectious Disease, The Rockefeller University, New York, NY, USA.

Hepatology (Baltimore, Md.) (United States) Dec 2005, 42 (6) p1455-8

, ISSN 0270-9139--Print Journal Code: 8302946

Contract/Grant No.: AI40034; AI; NIAID; CA57973; CA; NCI

Publishing Model Print

Document type: Journal Article

Languages: ENGLISH

Main Citation Owner: NLM

Record type: MEDLINE; Completed

**\*Treating\* hepatitis C: can you teach old dogs new tricks?**

... of the hepatitis C virus genome. CyPB interacted with the HCV RNA polymerase NS5B to directly stimulate its RNA binding activity. Both the RNA interference (\*RNAi\*)-mediated reduction of endogenous CyPB expression and the induced loss of NS5B binding to CyPB decreased the levels of HCV replication. Thus, CyPB functions as...

Descriptors: \*Cyclophilins--physiology--PH; \*\*Hepatitis C--drug therapy--DT; \*Peptidylprolyl Isomerase--physiology--PH; \*Viral Nonstructural Proteins--physiology--PH

**5/3,K/20 (Item 2 from file: 155)**

DIALOG(R)File 155:MEDLINE(R)

(c) format only 2006 Dialog. All rts. reserv.

19420344 PMID: 16190563

**[Experimental therapy in HCV infection]**

Terapia eksperymentalna zakazenia HCV.

Inglot Malgorzata; Gladysz Andrzej; Rymer Weronika  
Katedra i Klinika Chorob Zakaznych, Chorob Watroby i Nabytych Niedoborow  
Odpornosciowych AM we Wroclawiu.  
Przegla d epidemiologiczny (Poland) 2005, 59 (2) p525-33, ISSN  
0033-2100--Print Journal Code: 0413725  
Publishing Model Print  
Document type: Journal Article; Review ; English Abstract  
Languages: POLISH  
Main Citation Owner: NLM  
Record type: MEDLINE; Completed

PEGInterferon and ribavirin combination therapy is a gold standard in hepatitis C \*treatment\*. However it is not efficacious in all cases. Therefore, many studies are conducted to identifying additional drugs and therapeutic regimens, which might be more affordable...

... systems (e.g.replicon) is crucial for successful therapeutic intervention in viral life-cycle (viral NS5B polymerase and NS3/4A protease inhibitors, antisense nucleotides, ribozymes, \*siRNA\*). Other classes of immunomodulatory/antiviral agents and new interferon formulation have also been considered for IFN-based therapy also. On the other hand immunomodulatory pathways are attractive target for novel anti-HCV therapy. Combination therapy targeting different aspects will be probably in the future successful option in hepatitis C \*treatment\*.

Descriptors: \*Antiviral Agents--therapeutic use--TU; \*Hepacivirus; \*Hepatitis C--drug therapy--DT; \*RNA Replicase--antagonists and inhibitors--AI; \*RNA, Viral--antagonists and inhibitors--AI; \*Viral Nonstructural Proteins--antagonists and inhibitors--AI...; Humans; Interferon Alfa-2b--therapeutic use--TU; Pyrones--metabolism--ME; RNA, Catalytic--therapeutic use--TU; RNA, Small Interfering--therapeutic use--TU; Ribavirin--therapeutic use--TU; \*Treatment\* Outcome

5/3,K/21 (Item 3 from file: 155)  
DIALOG(R)File 155:MEDLINE(R)  
(c) format only 2006 Dialog. All rts. reserv.

14201590 PMID: 12594341

**RNA interference blocks gene expression and RNA synthesis from hepatitis C replicons propagated in human liver cells.**

Wilson Joyce A; Jayasena Sumedha; Khvorova Anastasia; Sabatinos Sarah; Rodrigue-Gervais Ian Gael; Arya Sudha; Sarangi Farida; Harris-Brandts Marees; Beaulieu Sylvie; Richardson Christopher D

Ontario Cancer Institute, 620 University Avenue, Suite 706, Toronto, ON, Canada M5G 2C1.

Proceedings of the National Academy of Sciences of the United States of America (United States) Mar 4 2003, 100 (5) p2783-8, ISSN 0027-8424--Print Journal Code: 7505876

Publishing Model Print-Electronic  
Document type: Journal Article  
Languages: ENGLISH  
Main Citation Owner: NLM  
Record type: MEDLINE; Completed

RNA interference represents an exciting new technology that could have therapeutic applications for the \*treatment\* of viral infections. Hepatitis C virus (HCV) is a major cause of chronic liver disease and affects >270 million individuals worldwide. The HCV genome is...

...functions as both a messenger RNA and replication template, making it an attractive target for the study of RNA interference. Double-stranded small interfering RNA (\*siRNA\*) molecules designed to target the HCV genome were



introduced through electroporation into a human hepatoma cell line (Huh-7) that contained an HCV subgenomic replicon. Two siRNAs dramatically reduced virus-specific protein expression and RNA synthesis to levels that were 90% less than those seen in cells \*treated\* with negative control siRNAs. These same siRNAs protected naive Huh-7 cells from challenge with HCV replicon RNA. \*Treatment\* of cells with synthetic \*siRNA\* was effective >72 h, but the duration of RNA interference could be extended beyond 3 weeks through stable expression of complementary strands of the interfering RNA by using a bicistronic expression vector. These results suggest that a gene-therapeutic approach with \*siRNA\* could ultimately be used to \*treat\* HCV.

Descriptors: \*\*Hepatitis C--metabolism--ME; \*Liver--cytology--CY; \*RNA--metabolism--ME; \*RNA Interference; \*RNA, Small Interfering--physiology--PH; \*RNA, Viral--genetics--GE; \*Virus Replication--physiology--PH

5/3,K/22 (Item 1 from file: 162)

DIALOG(R)File 162:Global Health

(c) 2006 CAB International. All rts. reserv.

0005075949 CAB Accession Number: 20053130459

**Experimental therapy in HCV infection.**

Original Title: Terapia eksperymentalna zakazenia HCV.

Inglot, M.; Gadysz, A.; Rymer, W.

Katedra i Klinika Chorob Zakazonych, Chorob Watroby i Nabytych Niedoborow Odpornosciowych, Akademii Medycznej we Wrocawiu, ul. Koszarowa 5, 51-149 Wrocaw, Poland.

Conference Title: Jubileuszowe x Warsztaty Hepatologiczne. Polskiego Towarzystwa Epidemiologow i Lekarzy Chorob zakazonych oraz Polskiego Towarzystwa Hepatologicznego. Jurata, Poland, 27-30 April 2005.

Przeglad Epidemiologiczny vol. 59 (2): p.525-533

Publication Year: 2005

ISSN: 0033-2100

Editors: Juszczczyk, J.

Publisher: Panstwowy Zakad Higieny Warszawa, Poland

Language: Polish Summary Language: English Record Type:

Abstract

Document Type: Journal article; Conference paper

Pegylated interferon (IFN) and ribavirin combination therapy is a gold standard in hepatitis C \*treatment\*. However it is not effective in all cases. Many studies have been conducted to identify new drugs and therapeutic regimens that are more affordable. The...

... g., replicon) is crucial for the successful therapeutic intervention in viral life cycle (viral NS5B polymerase and NS3/4A protease inhibitors, antisense nucleotides, ribozymes, and \*siRNA\* ). Other classes of immunomodulatory/antiviral agents and new IFN formulation have also been considered for IFN-based therapy. On the other hand, immunomodulatory pathways are attractive target for novel anti-HCV therapy. Combination therapy targeting different aspects of the virus might be the future successful option for hepatitis C \*treatment\*.

...DESCRIPTORS: \*hepatitis C\*

5/3,K/23 (Item 2 from file: 162)

DIALOG(R)File 162:Global Health

(c) 2006 CAB International. All rts. reserv.

0005037341 CAB Accession Number: 20053023541

**The potential of RNA interference as a tool in the management of viral hepatitis.**

Taylor, J. A.; Naoumov, N. V.  
Author email address: n.naoumov@ucl.ac.uk  
School of Biological Sciences, University of Auckland, Auckland, New Zealand.

Journal of Hepatology vol. 42 (1): p.139-144  
Publication Year: 2005  
ISSN: 0168-8278  
Digital Object Identifier: 10.1016/j.jhep.2004.10.022  
Publisher: Elsevier Amsterdam, Netherlands  
Language: English Record Type: Abstract  
Document Type: Journal article

The feasibility of using RNA interference (\*RNAi\*) to effect a potent and sustained replication is demonstrated and proof of concept of use of

\*RNAi\* as an antiviral therapy, particularly in the \*treatment\* of viral hepatitis (including hepatitis B, C and D) is offered. It is demonstrated that small interfering RNA has a higher degree of specificity in the \*treatment\* of human viral infections in comparison to conventional antiviral \*treatment\*.

...DESCRIPTORS: \*hepatitis C\*

5/3,K/24 (Item 3 from file: 162)

DIALOG(R)File 162:Global Health

(c) 2006 CAB International. All rts. reserv.

0004993834 CAB Accession Number: 20043114474

**RNA interference as a new strategy against viral hepatitis.**

Radhakrishnan, S. K.; Layden, T. J.; Gartel, A. L.  
Author email address: agartel@uic.edu  
Department of Medicine, University of Illinois at Chicago, 840 S Wood Street, Chicago, IL 60612, USA.  
Virology vol. 323 (2): p.173-181  
Publication Year: 2004  
ISSN: 0042-6822  
Digital Object Identifier: 10.1016/j.virol.2004.02.021  
Publisher: Elsevier Science San Diego, USA  
Language: English Record Type: Abstract  
Document Type: Journal article

Hepatitis viruses are the leading cause of liver cirrhosis and hepatocellular carcinoma worldwide. Since currently available \*treatment\* options against these viruses are limited, there is a need for development of alternative therapies. In this minireview, we concentrate on three hepatitis viruses - hepatitis C virus, hepatitis B virus, and hepatitis delta virus and discuss how RNA interference (\*RNAi\*) has been utilized against them. \*RNAi\* is a process by which small double-stranded RNA can effectively target a homologous RNA sequence for degradation by cellular ribonucleases. Though \*RNAi\* was exploited in the beginning for down-regulating cellular genes, it has recently been demonstrated that this process is equally effective against many types of human and animal viruses including the hepatitis viruses. Both synthetic small-interfering RNAs (siRNAs) and plasmid-based \*siRNA\* expression systems have been useful in suppressing the hepatitis viruses. Though this new approach looks promising, problems of nonspecific effects and delivery may need to be addressed before the full therapeutic potential of \*RNAi\* against viral infections in patients is realized.

...DESCRIPTORS: \*hepatitis C\*

File 5: Biosis Previews(R) 1969-2006/May W1  
(c) 2006 BIOSIS

File 6: NTIS 1964-2006/May W1  
(c) 2006 NTIS, Intl Cpyrght All Rights Res

File 8: Ei Compendex(R) 1970-2006/May W1  
(c) 2006 Elsevier Eng. Info. Inc.

File 24: CSA Life Sciences Abstracts 1966-2006/Apr  
(c) 2006 CSA.

File 34: SciSearch(R) Cited Ref Sci 1990-2006/May W1  
(c) 2006 Inst for Sci Info

File 65: Inside Conferences 1993-2006/May 16  
(c) 2006 BLDSC all rts. reserv.

File 71: ELSEVIER BIOBASE 1994-2006/May W2  
(c) 2006 Elsevier Science B.V.

File 73: EMBASE 1974-2006/May 16  
(c) 2006 Elsevier Science B.V.

File 94: JICST-EPlus 1985-2006/Feb W2  
(c) 2006 Japan Science and Tech Corp(JST)

File 98: General Sci Abs 1984-2004/Dec  
(c) 2005 The HW Wilson Co.

File 99: Wilson Appl. Sci & Tech Abs 1983-2006/Apr  
(c) 2006 The HW Wilson Co.

File 135: NewsRx Weekly Reports 1995-2006/May W1  
(c) 2006 NewsRx

File 136: BioEngineering Abstracts 1966-2006/Apr  
(c) 2006 CSA.

File 143: Biol. & Agric. Index 1983-2006/Apr  
(c) 2006 The HW Wilson Co

File 144: Pascal 1973-2006/Apr W3  
(c) 2006 INIST/CNRS

File 155: MEDLINE(R) 1951-2006/May 18  
(c) format only 2006 Dialog

File 172: EMBASE Alert 2006/May 16  
(c) 2006 Elsevier Science B.V.

File 266: FEDRIP 2005/Dec  
Comp & dist by NTIS, Intl Copyright All Rights Res

File 315: ChemEng & Biotech Abs 1970-2006/Apr  
(c) 2006 DECHEMA

File 357: Derwent Biotech Res. 1982-2006/May W1  
(c) 2006 Thomson Derwent & ISI

File 358: Current BioTech Abs 1983-2006/Jan  
(c) 2006 DECHEMA

File 369: New Scientist 1994-2006/Mar W1  
(c) 2006 Reed Business Information Ltd.

File 370: Science 1996-1999/Jul W3  
(c) 1999 AAAS

**\*File 370: This file is closed (no updates). Use File 47 for more current information.**

File 399: CA SEARCH(R) 1967-2006/UD=14421  
(c) 2006 American Chemical Society

**\*File 399: Use is subject to the terms of your user/customer agreement.**

IPCR/8 classification codes now searchable as IC=. See HELP NEWSIPCR.

File 434: SciSearch(R) Cited Ref Sci 1974-1989/Dec  
(c) 1998 Inst for Sci Info

File 40: Enviroline(R) 1975-2006/Mar

File 41: Pollution Abstracts 1966-2006/Apr  
(c) 2006 CSA.

File 50: CAB Abstracts 1972-2006/Apr  
(c) 2006 CAB International

File 103: Energy SciTec 1974-2006/Apr B1  
(c) 2006 Contains copyrighted material

**\*File 103: For access restrictions see Help Restrict.**  
 File 156:ToxFile 1965-2006/May W2  
 (c) format only 2006 Dialog

**\*File 156: ToxFile has resumed updating with UD20051205.**  
 File 162:Global Health 1983-2006/Apr  
 (c) 2006 CAB International

File 305:Analytical Abstracts 1980-2006/May W1  
 (c) 2006 Royal Soc Chemistry

**\*File 305: Alert feature enhanced for multiple files, duplicate removal, customized scheduling. See HELP ALERT.**  
 File 393:Beilstein Abstracts 2006/Q1  
 (c) Beilstein GmbH

File 35:Dissertation Abs Online 1861-2006/Apr  
 (c) 2006 ProQuest Info&Learning

File 91:MANTIS(TM) 1880-2006/Feb  
 2006 (c) Action Potential

File 149:TGG Health&Wellness DB(SM) 1976-2006/Apr W5  
 (c) 2006 The Gale Group

File 159:Cancerlit 1975-2002/Oct  
 (c) format only 2002 Dialog

**\*File 159: Cancerlit is no longer updating.**  
 Please see HELP NEWS159.

File 164:Allied & Complementary Medicine 1984-2006/May  
 (c) 2006 BLHCIS

File 444:New England Journal of Med. 1985-2006/Apr W5  
 (c) 2006 Mass. Med. Soc.

File 467:ExtraMED(tm) 2000/Dec  
 (c) 2001 Informania Ltd.

**\*File 467: F467 will close on February 1, 2006.**

7.

Set	Items	Description
---	-----	-----
? s	(sirna or rnai)	(s) (hepatitis c)
	25154	SIRNA
	22643	RNAI
	83024	HEPATITIS C
S1	0	(SIRNA OR RNAI) (S) (HEPATITIS C)
? s	(sirna or rnai) and (hepatitis c)	
	25154	SIRNA
	22643	RNAI
	83024	HEPATITIS C
S2	85	(SIRNA OR RNAI) AND (HEPATITIS C)
? rd		

>>>Duplicate detection is not supported for File 393.

>>>Records from unsupported files will be retained in the RD set.

S3	67	RD (unique items)
? s	s3 and (treat? or patient)	
Processing		
Processed	10 of 40 files	...
Processing		
Processed	30 of 40 files	...
Completed processing all files		
	67	S3
	17202100	TREAT?
	5942154	PATIENT
S4	24	S3 AND (TREAT? OR PATIENT)
? rd		

>>>Duplicate detection is not supported for File 393.